

Comparison of the water quality of three rivers under different environmental pressures with the use of robotic boats

Georgios Katsouras¹, Nikos Tsalas¹, Alekos Dosis¹, Marina Despotidou¹, Stylianos Samios¹, Efthymios Lytras¹, Kostas Papadopoulos¹, Sotirios Karavoltsos², Emmanouil Dassenakis², Michael Scoullou², and Elias Dimitriou³

¹*Athens Water and Sewerage Company S.A (E.Y.D.A.P.), Research and Development, Oropou 156, 11146, Galatsi, Athens, Greece*

²*Laboratory of Environmental Chemistry (LEC), Department of Chemistry, National and Kapodistrian University of Athens, Zografou GR-15784, Greece*

³*Institute of Marine Biological Resources and Inland Waters, Hellenic Centre for Marine Research (HCMR), 19013 Anavyssos, Greece*
e-mail: gekats@eydap.gr

Robotic boats equipped with basic and innovative sensors were employed for the first time in Greece by EYDAP, in collaboration with HCMR and LEC, in three rivers namely Acheloos, Asopos and Kifissos, representing different conditions and environmental pressures. The objective of this research was to obtain reliable, real time monitoring of chemical (DO, pH), physical (EC, T), and biological (Chlorophyll) parameters related to water quality.

The monitoring strategy applied was also innovative, combining a more thorough monitoring campaign both in terms of space and time, providing a significantly more comprehensive set of water quality data without labour-intensive and costly monitoring schemes, demonstrating that it could record even minute variations due to anthropogenic (urban, agricultural, industrial etc) or natural causes.

The use of autonomous boats optimizes water quality monitoring strategies and contributes substantially to an improved operation of the National Monitoring Water Network, under the supervision of the Special Secretariat for Water, in accordance with the requirements of the Water Framework Directive (2000/60/EC).




Figure 1: Chl-a in Acheloos River (left) and Conductivity in Kifissos estuaries (right)

Acknowledgment:

This work is funded by the European Union's Horizon 2020 research and innovation program as the project "INTCATCH" under grant agreement No 689341.